	Application No.	Applicant(s)	
Notice of Allowability	09/858,036 KANNO ET AL.		
	Examiner	Art Unit	
	Kristen Mullen	3762	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in (S) or other appropriate comm (RIGHTS. This application is:	n this application. If not included unication will be mailed in due cou	rse. THIS
1. $igspace$ This communication is responsive to <u>5/27/05 (After-final and 18</u>)	mendment).		
2. \boxtimes The allowed claim(s) is/are <u>6-10</u> .			
3. $igspace$ The drawings filed on <u>15 May 2001</u> are accepted by the B	Examiner.		,
4. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 1. Copies of the certified copies of the priority documents have 1. Copies of the certified copies of the priority documents have 1. Certified copies of the certified copies of the priority documents have 1. Certified copies not received:	ve been received. ve been received in Application	on No	from the
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requir	ements
5. A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gi	mitted. Note the attached EX ves reason(s) why the oath o	AMINER'S AMENDMENT or NOT or declaration is deficient.	ICE OF
 CORRECTED DRAWINGS (as "replacement sheets") may (a) including changes required by the Notice of Draftspe 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examine Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 	rson's Patent Drawing Revie r's Amendment / Comment of 1.84(c)) should be written on the header according to 37 C	or in the Office action of the drawings in the front (not the ba FR 1.121(d).	
7. DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMEN	OSIT OF BIOLOGICAL MAI FFOR THE DEPOSIT OF BI	OLOGICAL MATERIAL.	e tne
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB Paper No./Mail Date) 6. ☐ Interview S Paper No /08), 7. ⊠ Examiner's	nformal Patent Application (PTO-1 Summary (PTO-413), ./Mail Date s Amendment/Comment s Statement of Reasons for Allowa	

Application/Control Number: 09/858,036

Art Unit: 3762

REASONS FOR ALLOWANCE

- 1. The following is an examiner's statement of reasons for allowance: The Declarations under 37 C.F.R. §§ 1.131, 1.132 are effective to overcome the 35 U.S.C. § 102 (e) rejection based on the prior art Donovan references because Donovan has not claimed the same patentable invention as described in applicants' claims 6-10.
- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Plicchi et al. (6,240,314 and 6,493,585) shows the delivery of subthreshold pulses to the heart. Plicchi delivers 0.1V at 120 Hz. Ben-Haim et al. (6,330,476, and 6,317,631) shows delivery of non-excitatory pulses to the heart at a preferred amplitude of between 0.5 mA and 20 mA and a preferred frequency of less than 10 Hz. Darvish et al. (6,292,693) shows applying excitable tissue control pulses to the heart with amplitudes from 2V to 20V.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristen Mullen whose telephone number is (571) 272-4944. The examiner can normally be reached on M-F, 10:30 am-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/858,036

Art Unit: 3762

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

kdm

KENNEDY SCHAETZLE PRIMARY EXAMINER